



US Army Corps
of Engineers
Waterways Experiment
Station

DTIC
ELECTE
FEB 15 1995
S G D

Soil Mechanics Information

SMIAC
Analysis Center

Volume 95-2

January 1995

Soil Suction

Foundation and pavement damage often results from construction on reactive clay soils where the potential for differential movement is affected by moisture migration. One might expect moisture to move readily from soils with high water contents to those with low water contents. Such predictions are reasonable when the soils have similar grain sizes. But what happens when soil gradations are not alike? Moisture has actually been shown to move from coarse grained sands with low water contents to clays with much higher water contents because of negative pore water pressure sometimes referred to as soil suction. Researchers have identified soil suction as a useful predictor of the potential for damaging movement in areas where reactive clay is prevalent.

Methods to measure soil suction have included the use of filter paper, the thermocouple psychrometer, and triaxial, swelling pressure, and oedometer laboratory tests.

A revolutionary new device called the transistor psychrometer offers potential improvements in measurement range and response times. It is essentially an electronic adaptation of the wet and dry bulb thermometer used for measuring relative humidity.

On-going research at the Geotechnical Laboratory is aimed at using soil suction measurements to develop improved design and construction techniques for pavements and structures in the U.S. Point of contact is Dr. Marian Rollings/ 601-634-2952.

In This Issue

- Soil Suction
- Selected References
- Geotechnical Experts
- Recent Publications

A Department of Defense Information Analysis Center

The SMIAC bulletin is published and distributed periodically. Please contact the Director of SMIAC for more information:

Director, Soil Mechanics Information Analysis Center
U.S. Army Engineer Waterways Experiment Station

ATTN: CEWES-GV-Z
3909 Halls Ferry Road
Vicksburg, MS 39180-6199

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

19950206 226

Phone: (601) 634-3376
FAX: (601) 634-3139

Selected References

AS. (1992). "Soil Moisture Content Tests-Determination of the Total Suction of a Soil-Standard Method," AS 1289.2.2.1-1992, Standards Association of Australia, Sydney.

ASTM D 5298-92, "Standard Test Method for Measurement of Soil Potential (Suction) Using Filter Paper," Annual Book of ASTM Standards, Vol 04.08.

Compton, Phil V. (1970). "A Study of the Swelling Behavior of an Expansive Clay as Influenced by the Clay Microstructure, Soil Suction, and External Loading," College Station.

Croney, D., Coleman, J. D., and Bridge, P. M. (1952). "The Suction of Moisture Held in Soil and Other Porous Materials," Road Research Technical Paper No. 24, London.

Dimos, A. (1991). "Measurement of Soil Suction using Transistor Psychrometer," Internal Report No. IR/91-3, VIC ROADS, Melborne.

Fredlund, D. G. (1967). "Comparison of Soil Suction and One-Dimensional Consolidation Characteristics of a Highly Plastic Clay," National Research Council of Canada, Ottawa.

Fredlund, D. G., and Rahardjo, H. (1993). *Soil Mechanics for Unsaturated Soils*, John Wiley & Sons, New York.

Knodel, Paul C. (1988). "Effects of Soil Suction on Triaxial Shear Tests of Clay," U. S. Bureau of Reclamation, Denver.

Langfelder, Leonard J. (1964). "An Investigation of Initial Negative Pore Water Pressure in Statically Compacted Cohesive Soils."

Penner, Edward. (1959). "Soil Moisture Suction: Its Importance and Measurement," National Research Council of Canada, Ottawa.

Peterson, Richard W. (1990). "The Influence of Soil Suction on the Shear Strength of Unsaturated Soil," U. S. Army Engineer Waterways Experiment Station Miscellaneous Paper MP-GL-90-17, Vicksburg.

Richards, B. G. (1973). "The Analysis of Flexible Road Pavements in the Australian Environment-Changes of Pore Pressure or Soil Suction," Commonwealth Scientific and Industrial Research Organization, Melborne.


Richards, B. G., and Peter, P. (1987). "Measurement of Negative Pore Water Pressures or Soil Water Suction," Lecture, Extension Course on Geotechnical Field Instrumentation, Australian Geomechanics Society, Melborne.

Snethen, Donald R., and Johnson, L. (1980). "Evaluation of Soil Suction from Filter Paper," U. S. Army Engineer Waterways Experiment Station Miscellaneous Paper MP-GL-80-4, Vicksburg.

Woodburn, J. A. (1993). "Soil Suction Measurement with the Transistor Psychrometer," *Proceedings, 1st International Symposium on Engineering Characteristics of Arid Soils*, London.

**Partial Listing of Experts
Geotechnical Laboratory
U.S. Army Engineer Waterways Experiment Station**

Specialty	Name	Phone 601-634-
Centrifuge Testing	Mr. Richard Ledbetter	3380
Cutoff Walls	Mr. Roy Leach	2727
Dam Safety Evaluation	Mr. Milton Myers	2640
Dredged Material Disposal	Mr. Milton Myers	2640
Drilling/Sampling	Mr. Mark Vispi	2254
Earth Reinforcement	Dr. Ed Perry	2670
Centrifuge Testing	Mr. Richard Ledbetter	3380
Earthquake Engineering	Dr. Mary Ellen Hynes	2280
Earthquake Instrumentation	Mr. Robert Ballard	2201
Engineering Geology	Dr. Lawson Smith	2497
Engineering Seismology	Dr. Ellis Krinitzsky	3329
Erosion Control	Mr. Hugh Taylor	3454
Foundations in Soil	Dr. Vic Torrey	2619
Foundations in Rock	Dr. Glenn Nicholson	3611
Geomorphology	Dr. Lawson Smith	2497
Geophysical Explorations	Dr. Dwain Butler	2127
Geotextiles	Mr. Milton Myers	2640
Groundwater Modeling	Dr. James May	3395
In Situ Testing, Soils	Dr. Richard Peterson	3737
In Situ Testing, Rock	Mr. James Warriner	3610
Instrumentation in Soils	Mr. Earl Edris	3378
Instrumentation in Rock	Dr. W. O. Miller	3147
Levee Evaluation	Mr. Milton Myers	2640
Mobility Testing	Mr. Newell Murphy	2447
Moisture Migration	Dr. Marian Rollings	2952
Numerical Modeling (Soils)	Dr. John Peters	2590
Pavement Design	Dr. George Hammitt	3304
Pile Foundations	Mr. Milton Myers	2640
Relief Wells	Mr. Roy Leach	2727
Rock Mechanics	Mr. Glen Nicholson	3611
Seepage	Dr. Ed Perry	2670
Site Characterization	Dr. A. G. Franklin	2658
Slope Stability	Mr. Earl Edris	3378
Soil Dynamics	Dr. Mary Ellen Hynes	2280
Soil Mechanics	Mr. Milton Myers	2640
Soil Properties	Dr. Vic Torrey	2619
Soil-Structure Interaction	Dr. John Peters	2590
Soil Lab Testing	Mr. David Bennett	3974
Subdrainage	Dr. Ed Perry	2670
Swelling Soils	Dr. Richard Peterson	3737
Tunneling	Dr. Gen-hua Shi	2230
Trenchless Construction	Mr. David Bennett	3974
Water Supply	Dr. Dwain Butler	2127
Water Wells	Dr. James May	3395



The *SMIAC Bulletin* is published in accordance with AR 25-30 as one of the information exchange functions of the Corps of Engineers. The purpose of the bulletin is to rapidly and widely disseminate information to other Corps offices, U.S. Government agencies, and the engineering community in general. The bulletin does not promulgate Corps policy. The contents of this bulletin are not to be used for advertising or promotional purposes, nor are they to be published without proper credit. Any copyrighted material released to and used in *The SMIAC Bulletin* retains its copyright protection and cannot be reproduced without permission of the copyright holder. *The SMIAC Bulletin* will be issued periodically. Communications are welcomed and should be made by writing to the U.S. Army Engineer Waterways Experiment Station, ATTN: David Haulman (CEWES-GV), 3909 Halls Ferry Road, Vicksburg, MS 39180-6199, or calling (601) 634-3376.

ROBERT W. WHALIN, PhD, PE
Director

Accesion For	
NTIS	CRA&I <input checked="" type="checkbox"/>
DTIC	TAB <input type="checkbox"/>
Unannounced <input type="checkbox"/>	
Justification _____	
By _____	
Distribution / _____	
Availability Codes	
Dist	Avail and / or Special
A-1	

CEWES-GV-2
OFFICIAL BUSINESS

BULK RATE
U.S. POSTAGE PAID
Vicksburg, MS
Permit No. 85

WATERWAYS EXPERIMENT STATION, CORPS OF ENGINEERS
3909 HALLS FERRY ROAD
VICKSBURG, MISSISSIPPI 39180-6199